

TABLE OF CONTENTS

CHAPTER 1 SAMPLING

Tables 1.1-1.8

Table 1.1	Response rate of the survey sample
Table 1.2a	Numbers of respondents in the survey by sex and age group (number & %)
Table 1.2b	Numbers of non-respondents in the survey by sex and age group (number & %)
Table 1.3a	Numbers of respondents in the survey during winter (Sept-Feb) and summer (Mar-Aug) by sex (number & %)
Table 1.3b	Numbers of non-respondents in the survey during winter (Sept-Feb) and summer (Mar-Aug) by sex (number & %)
Table 1.4a	Geographical location of respondents by sex and age group (number & %)
Table 1.4b	Geographical location of non-respondents by sex and age group (number & %)
Table 1.5	Marital status of respondents by sex and age group (number & %)
Table 1.6a	Social class (Ireland) of respondents by sex (number & %)
Table 1.6b	Social class (UK) of respondents by sex (number & %)
Table 1.7a	Socio-economic group (Ireland) of respondents by sex (number & %)
Table 1.7b	Socio-economic group (UK) of respondents by sex (number & %)
Table 1.8	Education level of respondents by sex and age group (number & %)

CHAPTER 2 FOOD CONSUMPTION

Tables 2.1-2.6

Table 2.1	Mean, SD, median and percentile values of food group intakes (g/d) in the total population
Table 2.2	Mean, SD, median and percentile values of food group intakes (g/d) in consumers only
Table 2.3	Mean, SD, median and percentile values of food group intakes (g/d) for all men and by age group in the total population
Table 2.4	Mean, SD, median and percentile values of food group intakes (g/d) for all women and by age group in the total population

Table 2.5 Mean, SD, median and percentile values of food group intakes (g/d) for all men and by age group in consumers only

Table 2.6 Mean, SD, median and percentile values of food group intakes (g/d) for all women and by age group in consumers only

CHAPTER 3 NUTRIENT INTAKES

SUMMARY TABLES

Tables 3.1-3.3

Table 3.1 Mean, SD, median and percentile values of daily energy, macronutrient, dietary fibre, vitamin and mineral intakes for the total population

Table 3.2 Mean, SD, median and percentile values of daily energy, macronutrient, dietary fibre, vitamin and mineral intakes for all men and by age group

Table 3.3 Mean, SD, median and percentile values of daily energy, macronutrient, dietary fibre, vitamin and mineral intakes for all women and by age group

ENERGY

Tables 3.4-3.9

Table 3.4 A comparison of daily energy intakes in the NSIFCS and the Recommended Dietary Allowances for Ireland 1999

Table 3.5 Percentage (%) contribution of 18 food groups to mean daily energy intakes of the total population and by sex and age group

Table 3.6 Mean, SD and median values of daily energy intake (MJ/day) for men by demographic variables and age group

Table 3.7 Mean, SD and median values of daily energy intake (MJ/day) for women by demographic variables and age group

Table 3.8 Mean, SD, median and percentile values of the ratio of energy intake to estimated basal metabolic rate (EI/BMR_{est}) for the total population and by sex and age group

Table 3.9 Ratio of energy intake to estimated basal metabolic rate (EI/BMR_{est}) for the total population and by sex and age group, expressed as cumulative percentages below defined values

Figure 3.1

Figure 3.1 Percentage (%) contribution of 18 food groups to mean daily energy intakes of men and women and the total population

MACRONUTRIENTS

Tables 3.10-3.17

Table 3.10 Protein intakes (g) of men and women and comparison to current dietary recommendations for protein

Table 3.11 Percentage (%) contribution of food groups to mean daily protein intakes of the total population and by sex and age group

Table 3.12 Percentage (%) contribution of food groups to mean daily total fat intakes of the total population and by sex and age group

Table 3.13 Percentage (%) contribution of food groups to mean daily carbohydrate intakes of the total population and by sex and age group

Table 3.14 Mean, SD and median values of macronutrient intakes for men and women by geographical location

Table 3.15 Mean, SD and median values of macronutrient intakes for men and women by level of education

Table 3.16 Mean, SD and median values of macronutrient intakes for men and women by Social Class (Ireland)

Table 3.17 Mean, SD and median values of macronutrient intakes for men and women by Social Class (UK)

Figures 3.2-3.4

Figure 3.2 Percentage (%) contribution of food groups to mean daily protein intakes of men, women and the total population

Figure 3.3 Percentage (%) contribution of food groups to mean daily fat intakes of men, women and the total population

Figure 3.4 Percentage (%) contribution of food groups to mean daily carbohydrate intakes of men, women and the total population

FIBRE

Tables 3.18-3.26

Table 3.18 Mean, SD, median and percentile values of dietary fibre (g) and NSP (g) intakes from all food sources for the total population and by sex and age group

Table 3.19 Mean, SD and median values of dietary fibre (g/MJ) and NSP (g/MJ) intakes from all food sources for the total population and by sex and age group

Table 3.20 Mean, SD and median values of dietary fibre (g/MJ) and NSP (g/MJ) intakes, excluding energy from ethanol, for the total population and by sex and age group

Table 3.21 Percentage (%) contribution and g/d contribution of food groups to mean daily dietary fibre intakes of the total population and by sex and age group

Table 3.22 Percentage (%) contribution and g/d contribution of food groups to mean daily NSP intakes of the total population and by sex and age group

Table 3.23 Mean, SD and median values of dietary fibre and NSP intakes (g and g/MJ) for the total population and men and women by geographical location

Table 3.24 Mean, SD and median values of dietary fibre and NSP intakes (g and g/MJ) for the total population and men and women by level of education

Table 3.25 Mean, SD and median values of dietary fibre and NSP intakes (g and g/MJ) for the total population and men and women by Social Class (Ireland)

Table 3.26 Mean, SD and median values of dietary fibre and NSP intakes (g and g/MJ) for the total population and men and women by Social Class (UK)

Figures 3.5-3.7

Figure 3.5 Percentage (%) contribution of food groups to mean daily dietary fibre intakes of men, women and the total population

Figure 3.6 Percentage (%) contribution of food groups to mean daily NSP intakes of men, women and the total population

Figure 3.7 Percentage (%) of all men and all women with a mean daily NSP intake below 12g and according to age group

VITAMINS

Tables 3.27-3.67

Table 3.27 Mean, SD, median and percentile values of retinol intake (μg) from all sources and from food sources only (excluding supplements) by sex and age group.

Table 3.28 Mean, SD, median and percentile values of carotene intake (μg) from all sources and from food sources only (excluding supplements) by sex and age group.

Table 3.29 Mean, SD, median and percentile values of total vitamin A intake (μg) from all sources and from food sources only (excluding supplements) by sex and age group.

Table 3.30 Mean, SD, median and percentile values of vitamin D intake (μg) from all sources and from food sources only (excluding supplements) by sex and age group.

Table 3.31 Mean, SD, median and percentile values of vitamin E intake (mg) from all sources and from food sources only (excluding supplements) by sex and age group.

Table 3.32 Mean, SD, median and percentile values of thiamin intake (mg) from all sources and from food sources only (excluding supplements) by sex and age group.

Table 3.33 Mean, SD, median and percentile values of riboflavin intake (mg) from all sources and from food sources only (excluding supplements) by sex and age group.

Table 3.34 Mean, SD, median and percentile values of pre-formed niacin intake (mg) from all sources and from food sources only (excluding supplements) by sex and age group.

Table 3.35 Mean, SD, median and percentile values of total niacin equivalents (mg) from all sources and from food sources only (excluding supplements) by sex and age group.

Table 3.36 Mean, SD, median and percentile values of vitamin B6 intake (mg) from all sources and from food sources only (excluding supplements) by sex and age group.

- Table 3.37** Mean, SD, median and percentile values of vitamin B12 intake (mg) from all sources and from food sources only (excluding supplements) by sex and age group.
- Table 3.38** Mean, SD, median and percentile values of folate intake (μg) from all sources and from food sources only (excluding supplements) by sex and age group.
- Table 3.39** Mean, SD, median and percentile values of biotin intake (μg) from all sources and from food sources only (excluding supplements) by sex and age group.
- Table 3.40** Mean, SD, median and percentile values of pantothenate intake (mg) from all sources and from food sources only (excluding supplements) by sex and age group.
- Table 3.41** Mean, SD, median and percentile values of vitamin C intake (mg) from all sources and from food sources only (excluding supplements) by sex and age group.
- Table 3.42** Mean, SD and median values of vitamin intakes from all sources (including supplements) by sex and geographical location.
- Table 3.43** Mean, SD and median values of vitamin intakes from all sources (including supplements) by sex and level of education.
- Table 3.44** Mean, SD and median values of vitamin intakes from all sources (including supplements) by sex and Social Class (Ireland)
- Table 3.45** Mean, SD and median values of vitamin intakes from all sources (including supplements) by sex and social class (UK).
- Table 3.46** Mean, SD and median values of vitamin intakes from all sources (including supplements) per 10 MJ by sex and age group.
- Table 3.47** Mean, SD and median values of vitamin intakes from food sources (excluding supplements) per 10 MJ by sex and age group.
- Table 3.48** Mean, SD and median values of vitamin intakes from all sources per 10 MJ (excluding energy from ethanol) by sex and age group.
- Table 3.49** Mean, SD and median values of vitamin intakes from all sources per 10 MJ by sex and geographical location.
- Table 3.50** Mean, SD and median values of vitamin intakes daily intake of vitamins from all sources per 10 MJ by sex and level of education.
- Table 3.51** Mean, SD and median values of vitamin intakes from all sources per 10 MJ by sex and Social Class (Ireland).

- Table 3.52** Mean, SD and median values of vitamin intakes from all sources per 10 MJ by sex and Social Class (UK).
- Table 3.53** Percentage contribution (%) of food groups to mean daily retinol intakes (μg) by sex and age group.
- Table 3.54** Percentage (%) contribution of food groups to mean daily carotene intakes (μg) by sex and age group.
- Table 3.55** Percentage (%) contribution of food groups to mean daily total vitamin A intakes (μg) by sex and age group.
- Table 3.56** Percentage (%) contribution of food groups to mean daily vitamin D intakes (μg) by sex and age group.
- Table 3.57** Percentage (%) contribution of food groups to mean daily vitamin E intakes (mg) by sex and age group.
- Table 3.58** Percentage (%) contribution of food groups to mean daily thiamin intakes (μg) by sex and age group.
- Table 3.59** Percentage (%) contribution of food groups to mean daily riboflavin intakes (mg) by sex and age group.
- Table 3.60** Percentage (%) contribution of food groups to mean daily pre-formed niacin intakes (mg) by sex and age group.
- Table 3.61** Percentage (%) contribution of food groups to mean daily total niacin equivalent intakes (mg) by sex and age group.
- Table 3.62** Percentage (%) contribution of food groups to mean daily vitamin B6 intakes (μg) by sex and age group.
- Table 3.63** Percentage (%) contribution of food groups to mean daily vitamin B12 intakes (μg) by sex and age group.
- Table 3.64** Percentage (%) contribution of food groups to mean daily folate intakes (μg) by sex and age group.
- Table 3.65** Percentage (%) contribution of food groups to mean daily pantothenate intakes (μg) by sex and age group.
- Table 3.66** Percentage (%) contribution of food groups to mean daily biotin intakes (mg) by sex and age group.
- Table 3.67** Percentage (%) contribution of food groups to mean daily vitamin C intakes (mg) by sex and age group.

Figures 3.8-3.24

- Figure 3.8** Percentage (%) contribution of food groups to mean daily retinol intakes for men, women and the total population
- Figure 3.9** Percentage (%) contribution of food groups to mean daily carotene intakes for men, women and the total population
- Figure 3.10** Percentage (%) contribution of food groups to mean daily total vitamin A intakes for men, women and the total population
- Figure 3.11** Percentage (%) contribution of food groups to mean daily vitamin D intakes for men, women and the total population
- Figure 3.12** Percentage (%) contribution of food groups to mean daily vitamin E intakes for men, women and the total population
- Figure 3.13** Percentage (%) contribution of food groups to mean daily thiamin intakes for men, women and the total population
- Figure 3.14** Percentage (%) contribution of food groups to mean daily riboflavin intakes for men, women and the total population
- Figure 3.15** Percentage (%) contribution of food groups to mean daily pre-formed niacin intakes for men, women and the total population
- Figure 3.16** Percentage (%) contribution of food groups to mean daily total niacin equivalent intakes for men, women and the total population
- Figure 3.17** Percentage (%) contribution of food groups to mean daily vitamin B6 intakes for men, women and the total population
- Figure 3.18** Percentage (%) contribution of food groups to mean daily vitamin B12 intakes for men, women and the total population
- Figure 3.19** Percentage (%) contribution of food groups to mean daily folate intakes for men, women and the total population
- Figure 3.20** Percentage (%) contribution of food groups to mean daily biotin intakes for men, women and the total population
- Figure 3.21** Percentage (%) contribution of food groups to mean daily pantothenate intakes for men, women and the total population
- Figure 3.22** Percentage (%) contribution of food groups to mean daily vitamin C intakes for men, women and the total population
- Figure 3.23** Percentage (%) of men in different age groups with mean daily vitamin intakes below the average requirement (AR)

Figure 3.24 Percentage (%) of women in different age groups with mean daily vitamin intakes below the average requirement (AR)

MINERALS

Tables 3.68-3.90

Table 3.68 Mean, SD, median and percentile values of calcium intakes (mg) from all sources and from food sources (excluding supplements) by sex and age group.

Table 3.69 Mean, SD, median and percentile values of magnesium intakes (mg) from all sources and from food sources (excluding supplements) by sex and age group.

Table 3.70 Mean, SD, median and percentile values of phosphorus intakes (mg) from all sources and from food sources (excluding supplements) by sex and age group.

Table 3.71 Mean, SD, median and percentile values of iron intakes (mg) from all sources and from food sources (excluding supplements) by sex and age group.

Table 3.72 Mean, SD, median and percentile values of copper intakes (mg) from all sources and from food sources (excluding supplements) by sex and age group.

Table 3.73 Mean, SD, median and percentile values of zinc intakes (mg) from all sources and from food sources (excluding supplements) by sex and age group.

Table 3.74 Mean, SD and median values of mineral intakes (mg) from all sources (including supplements) by sex and geographical location.

Table 3.75 Mean, SD and median values of mineral intakes (mg) from all sources (including supplements) by sex and level of education.

Table 3.76 Mean, SD and median values of mineral intakes (mg) from all sources (including supplements) by sex and Social Class (Ireland).

Table 3.77 Mean, SD and median values of mineral intakes (mg) from all sources (including supplements) by sex and Social Class (UK).

Table 3.78 Mean, SD and median values of mineral intakes (mg) from all sources per 10 MJ by sex and age group.

Table 3.79 Mean, SD and median values of mineral intakes (mg) from food sources (excluding supplements) per 10 MJ by sex and age group.

Table 3.80 Mean, SD and median values of mineral intakes (mg) from all sources (excluding energy from ethanol) per 10 MJ by sex and age group.

- Table 3.81** Mean, SD and median values of mineral intakes (mg) from all sources per 10 MJ by sex and geographical location.
- Table 3.82** Mean, SD and median values of mineral intakes (mg) from all sources per 10 MJ by sex and level of education.
- Table 3.83** Mean, SD and median values of mineral intakes (mg) from all sources per 10 MJ by sex and Social Class (Ireland).
- Table 3.84** Mean, SD and median values of mineral intakes from all sources per 10 MJ by sex and Social Class (UK).
- Table 3.85** Percentage (%) contribution of food groups to mean daily calcium intakes by sex and age group.
- Table 3.86** Percentage (%) contribution of food groups to mean daily magnesium intakes by sex and age group.
- Table 3.87** Percentage (%) contribution of food groups to mean daily phosphorus intakes by sex and age group.
- Table 3.88** Percentage (%) contribution of food groups to mean daily iron intakes by sex and age group.
- Table 3.89** Percentage (%) contribution of food groups to mean daily copper intakes by sex and age group.
- Table 3.90** Percentage (%) contribution of food groups to mean daily zinc intakes by sex and age group.

Figures 3.25-3.34

- Figure 3.25** Percentage (%) contribution of food groups to mean daily calcium intakes for men, women and the total population.
- Figure 3.26** Percentage (%) contribution of food groups to mean daily magnesium intakes for men, women and the total population.
- Figure 3.27** Percentage (%) contribution of food groups to mean daily phosphorus intakes for men, women and the total sample.
- Figure 3.28** Percentage (%) contribution of food groups to mean daily iron intakes for men, women and the total population.
- Figure 3.29** Percentage (%) contribution of food groups to mean daily copper intakes for men, women and the total population.

- Figure 3.30** Percentage (%) contribution of food groups to mean daily zinc intakes for men, women and the total population.
- Figure 3.31** Percentage (%) of men in different age groups with mean daily mineral intakes below the average requirement (AR).
- Figure 3.32** Percentage (%) of women in different age groups with mean daily mineral intakes below the average requirement (AR).
- Figure 3.33** Percentage (%) of men in different age groups with mean daily mineral intakes below the lowest threshold intake (LTI).
- Figure 3.34** Percentage (%) of women in different age groups with mean daily mineral intakes below the lowest threshold intake (LTI).

CHAPTER 4 ANTHROPOMETRIC MEASUREMENTS

Tables 4.1-4.23

- Table 4.1** Mean, SD, median and percentile values of anthropometric measurements of the total population and by age group
- Table 4.2** Mean, SD, median and percentile values of anthropometric measurements for all men and by age group
- Table 4.3** Mean, SD, median and percentile values of anthropometric measurements for all women and by age group
- Table 4.4** Percentage of the population in each BMI category by sex and age group
- Table 4.5** Percentage of the population who may be at risk for CVD defined by waist circumference and WHR by sex and age group
- Table 4.6** Mean and SD values of weight (kg) for the total population by demographic and lifestyle variables and by age group
- Table 4.7** Mean and SD values of weight (kg) for men by demographic and lifestyle variables and by age group
- Table 4.8** Mean and SD values of weight (kg) for women by demographic and lifestyle variables and by age group
- Table 4.9** Mean and SD values of height(m) for the total population by demographic and lifestyle variables and by age group
- Table 4.10** Mean and SD values of height (m) for men by demographic and lifestyle variables and by age group

- Table 4.11** Mean and SD values of height (m) for women by demographic and lifestyle variables and by age group
- Table 4.12** Mean and SD values of BMI for the total population by demographic and lifestyle variables and by age group
- Table 4.13** Mean and SD values of BMI for men by demographic and lifestyle variables and by age group
- Table 4.14** Mean and SD values of BMI for women by demographic and lifestyle variables and by age group
- Table 4.15** Mean and SD values of waist circumference for the total population by demographic and lifestyle variables and by age group
- Table 4.16** Mean and SD values of waist circumference for men by demographic and lifestyle variables and by age group
- Table 4.17** Mean and SD values of waist circumference for women by demographic and lifestyle variables and by age group
- Table 4.18** Mean and SD values of waist to hip ratio for the total population by demographic and lifestyle variables and by age group
- Table 4.19** Mean and SD values of waist to hip ratio for men by demographic and lifestyle variables and by age group
- Table 4.20** Mean and SD values of waist to hip ratio for women by demographic and lifestyle variables and by age group
- Table 4.21** Mean and SD values of percent body fat for the total population by demographic and lifestyle variables and by age group
- Table 4.22** Mean and SD values of percent body fat for men by demographic and lifestyle variables and by age group
- Table 4.23** Mean and SD values of percent body fat for women by demographic and lifestyle variables and by age group

CHAPTER 5 PHYSICAL ACTIVITY LEVELS

Table 5.1-5.9

- Table 5.1** Leisure time activities – percentages of subjects participating in each activity once a week or more

Table 5.2	Mean amounts of time spent by subjects in different age categories watching television and participating in recreational and vigorous recreational activities
Table 5.3	Mean amount of time spent by subjects in different BMI categories watching television and participating in recreational and vigorous recreational activities
Table 5.4	Mean amount of time spent by subjects watching television and participating in recreational and vigorous recreational activities by social class (Ireland)
Table 5.5	Mean amount of time spent by subjects watching television and participating in recreational and vigorous recreational activities by social class (UK)
Table 5.6	Energy expenditure estimates (METs) for occupational, leisure and home activities reported by subjects in different age categories
Table 5.7	Energy expenditure estimates (METs) for occupational, leisure and home activities reported by subjects in different BMI categories
Table 5.8	Energy expenditure estimates (METs) for occupational, leisure and home activities reported by subjects in different social classes (Ireland)
Table 5.9	Energy expenditure estimates (METs) for occupational, leisure and home activities reported by subjects in different social classes (UK)

CHAPTER 6 ATTITUDINAL DATA

Table 6.1-6.13

Table 6.1	Percentage of subjects selecting responses to the statement “ I make conscious efforts to try to eat a healthy diet” by demographics (sex, age group, education level and social class) and smoking status
Table 6.2	Percentage of subjects selecting responses to the statement “ I try to keep the amount of fat I eat to a healthy amount” by demographics (sex, age group, education level and social class) and smoking status
Table 6.3	Percentage of subjects selecting responses to the statement “ I read labels on food packages to try to avoid additives or preservatives or colours” classified by demographics (sex, age group, education level and social class) and smoking status
Table 6.4	Percentage of subjects who agree or disagree with the statement “ I don’t need to make changes to my diet as it is healthy enough” classified by demographics

(sex, age group, education level and social class) and smoking status

- Table 6.5** Percentage of subjects who agree or disagree with the statement “ I am concerned about pesticides in food” classified by demographics (sex,age group, education level and social class) and smoking status
- Table 6.6** Percentage of subjects who agree or disagree with the statement “ my weight is fine for my age” classified by demographics (sex, age group, education level and social class), BMI category and smoking status
- Table 6.7** Percentage of subjects who consciously modified eating habits in the past year classified by demographics (sex, age group, education level and social class), BMI category and smoking status
- Table 6.8** Percentage of respondents selecting the following reasons for changing their diet among those who had modified their eating habits in the past year (n=572)
- Table 6.9** Percentage of respondents making the following changes to their diet among those who had modified their eating habits in the past year (n=572)
- Table 6.10** Percentage of subjects who modified eating habits as wanted to eat a healthy diet classified by demographics (sex, age group, education level, social class), BMI category and smoking status
- Table 6.11** Percentage of subjects selecting the most appropriate response regarding their self-assessed adequacy with respect to their consumption of a number of foods
- Table 6.12** Percentage of subjects selecting the most appropriate response regarding the amount of exercise they should take classified by demographics (sex, age group, education level, social class), BMI category and smoking status
- Table 6.13** Percentage of subjects selecting the most appropriate response regarding their feelings about exercise classified by demographics (sex, age group, education level, social class), BMI category and smoking status